

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : B01D 53/64, 53/60	A1	(11) International Publication Number: WO 99/58228 (43) International Publication Date: 18 November 1999 (18.11.99)
(21) International Application Number: PCT/CA99/00403 (22) International Filing Date: 3 May 1999 (03.05.99) (30) Priority Data: 60/084,762 8 May 1998 (08.05.98) US (71) Applicant (for all designated States except US): ISCA MANAGEMENT LTD. [CA/CA]; 505-2320 West 40th Avenue, Vancouver, British Columbia V6M 4H6 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): CALDWELL, Douglas [CA/CA]; 505-2320 West 40th Avenue, Vancouver, British Columbia V6M 4H6 (CA). BIGGAR, John, W. [CA/CA]; 4648 Brentlawn, Burnaby, British Columbia V5C 3V2 (CA). MCINTYRE, Brian, W. [CA/CA]; 105-621 East 6th Avenue, Vancouver, British Columbia V5T 4H3 (CA). (74) Agent: OYEN, Gerald, O., S.; Oyen Wiggs Green & Mutala, The Station, 601 West Cordova Street #480, Vancouver, British Columbia V6B 1G1 (CA).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: MERCURY REMOVAL FROM FLUE GAS (57) Abstract Chlorine is injected in a gaseous or liquid form into a hot (greater than 100 °C) gas stream for the purpose of oxidizing objectionable components in the gas stream, such as, but not restricted to, SO ₂ , NO _x and mercury, when the oxidized form of the components is more readily removed from the gas stream.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

MERCURY REMOVAL FROM FLUE GAS

FIELD OF THE INVENTION

5 The present invention relates to simultaneous oxidation of SO₂ to sulphuric acid, NO_x to nitric acid, and metallic mercury vapour to a mercury chloride, in a flue gas, thereby allowing capture of mercury in the downstream process solutions.

10 **BACKGROUND OF THE INVENTION**

 U.S. Patent No. 4,619,608, granted October 28, 1986, describes the effects of sulphur dioxide and nitrogen oxides released from the burning of fossil fuel.

15

 Regulations in force since 1985 have mandated two stages of cleanup for the flue gases emitted from fossil fuel powered utility power stations. A December, 1996 proposal by the U.S. Environmental Protection Agency (EPA) has proposed even higher control levels based
20 on health concerns.

 In addition, mercury has now become a pollutant of concern. Costs of capturing mercury can run as high as \$100,000 per pound using activated carbon or limestone systems. A problem with the limestone
25 systems is the re-release of the mercury once captured.

 In February, 1998, the EPA released a mercury report to U.S. Congress which identified the health concerns and the need to

- 2 -

develop new technologies to capture mercury from the vapour emitted from coal fired power plants.

SUMMARY OF THE INVENTION

5

U.S. Patent No. 4,619,608 describes a process for injecting chlorine to oxidize SO_2 and NO_x components of a flue gas stream, and removing them from the flue gas.

10 This invention is an improvement on that process and adds the capacity of trapping metallic mercury in a form that avoids the potential for re-release of the mercury. Costs to operate any system are a concern, and the process herein described is more economical than existing technology. The innovation is in the combination of the capture
15 of all three pollutants of concern, namely SO_2 , NO_x and Hg vapour, in one single economical process.

The invention is directed to a process for oxidizing gaseous pollutants in a flue gas stream composed of flue gases, water vapour and
20 one or more gaseous pollutants selected from the group consisting of SO_2 , NO, NO_2 , NO_x , H_2S , and mercury vapour, said oxidized form of the pollutants being more readily removable from the flue gas stream by water absorption than the non-oxidized form thereof, comprising: (a)
injecting sufficient chlorine in a gaseous form, a liquid form, or as a
25 water solution, into the flue gas stream while the flue gas stream is at a temperature greater than 100°C to thereby react the chlorine with the pollutants and permitting the flue gas stream/chlorine mixture to react for

- 3 -

a sufficient time to enable a significant amount of oxidation of the pollutants to occur, whereby an oxidized flue gas stream comprising flue gases, water vapour and one or more gaseous oxidized said pollutants is formed; (b) scrubbing the oxidized flue gas stream with water, or water solution, of pH less than or equal to 7; and (c) adding sufficient alkali metal halogen salt to precipitate mercuric iodide from the water or water solution of pH less than or equal to 7, as the concentration level requires. The alkali metal halogen salt can be potassium iodide.

10 DETAILED DESCRIPTION OF THE INVENTION

Chlorine is injected in a gaseous liquid or solution form into a hot gas stream of a temperature greater than 100°C for the purpose of oxidizing objectionable components in the gas stream, such as, but not
15 restricted to SO₂, NO_x, and mercury vapour, when the oxidized form of the gases is more readily removed from the gas stream. After sufficient reaction time, the gas stream mixture passes through water scrubbers for the further removal of the objectionable components from the gas stream. Acidic and basic compounds of the gas stream and halogens, including
20 excess chlorine, are also removed in the scrubbers. The pollutants remain as the corresponding oxidized acids or salts in the process effluent solution. The mercury is precipitated from the process solution.

Chlorine can be used to remove mercury from gases, as
25 described by British Patent No. 1,121,845, and U.S. Patent No. 3,849,267. In these cases, the mercury is converted to mercuric chloride

- 4 -

that is captured in solution. The subject matter of these two patents is incorporated herein by reference.

The "Mechanism and Kinetics of Mercury Oxidation", by
5 Chlorine-Containing Solutions" (V.A. Skripnik et al. - J. Appl. Chem. USSR, 52, 1169 (1979) - Plenum Publishing) clearly demonstrates that the oxidation of the mercury with chlorine occurs in the gas phase. In investigating the process of purifying a gas from mercury with chlorine water, they found that sweeping out of chlorine from the water takes
10 place simultaneously with the removal of mercury from the gas. Practically all of the chlorine (90%) is swept into the gas phase, where the oxidation of mercury also takes place. The higher the chlorine concentration of the arriving water and the higher its circulation rate, that is, the greater the amount of chlorine swept out, the less is the metallic
15 mercury content of the purified gas.

The process of purifying the gas from mercury with an acidic chlorine-containing solution can be represented by two mechanisms:

- (1) Chlorine from the solution is evacuated into the gas
20 space and reacts with the mercury;
- (2) Mercury diffuses from the gas phase into the solution and reacts with the chlorine.

Each of these mechanisms consists of individual stages, and
25 has limiting stages which determine the rate of the given mechanism and of the entire process as a whole. The studies performed showed that practically all the chlorine is swept out of the solution into the gas phase,

- 5 -

and this process takes place at a high rate. This means that purification of the gas from mercury takes place principally by the first mechanism, that is, in the gas phase, with subsequent absorption of the reaction products by the solution. This process includes the following stages:

5 diffusion of chlorine in the solution, sweeping out of the chlorine from the solution into the gas space, diffusion of chlorine and mercury in the gas phase, reaction of chlorine with the mercury, and extraction of the reaction products into the solution. The chlorine-containing solution is more reactive with respect to mercury in acid medium than in alkaline

10 medium. The subject matter of this article is incorporated herein by reference.

Recent work by Argonne Laboratories and others has confirmed that the use of chlorine is the most effective way to capture

15 mercury that is in the metallic form (Feely, Thomas J. III, "An Overview of the U.S. Department of Energy's Electric Utility Mercury Emissions R&D Activities" Acid Rain and the Electric Utilities II Conference, Jan. 21-22, 1997, Scottsdale, AZ.

20 Much current attention has been focused on mercury, due primarily to its ability to persist in the environment and to bioaccumulate, in the form of methyl mercury, in the food chain. Mercury has been shown to be present in flue gas produced by coal combustion, but at extremely low concentrations, on the order of parts per billion. This,

25 coupled with the fact that mercury can be associated with very fine particles or can exist as a vapour in coal-fired power systems, makes it difficult to remove by conventional pollution control equipment. To

- 6 -

further complicate matters, the chemical form (or oxidation state) of mercury not only impacts its collection or removal but also its transport and subsequent deposition once released to the atmosphere. It is known that coal-combustion mercury exists as a vapour in both the elemental (Hg°) and ionic or oxidized (Hg++) form. Therefore, in addition to determining the split of mercury between the solid and gaseous phase, it is also necessary to measure its state of oxidation. The results of characterization studies indicate that gaseous-state mercury predominates in most coal-fired boiler flue gases. Typically, greater than 90% of the mercury is collected as a vapour. The subject matter of this article is also incorporated herein by reference.

In the case of the subject invention, the use of chlorine to oxidize SO_x and NO_x in a flue gas also results in the conversion of the metallic mercury to mercuric chloride. This mercuric chloride is captured in the sulphuric acid solution that results from the conversion of SO₂ to H₂SO₄.

Using a small holding tank, the mercury is precipitated out according to the following reaction steps:




Plate and frame filter presses, or other methods, can then be used to remove the filter cake.

- 7 -

As will be apparent to those skilled in the art in the light of the foregoing disclosure, many alterations and modifications are possible in the practice of this invention without departing from the spirit or scope thereof. Accordingly, the scope of the invention is to be construed in
5 accordance with the substance defined by the following claims.

- 8 -

WHAT IS CLAIMED IS:

1. A process for oxidizing gaseous pollutants in a flue gas stream composed of flue gases, water vapour and one or more gaseous pollutants selected from the group consisting of SO₂, NO, NO₂, NO_x, H₂S, and mercury vapour, said oxidized form of the pollutants being more readily removable from the flue gas stream by water absorption than the non-oxidized form thereof, comprising:

(a) injecting sufficient chlorine in a gaseous form, a liquid form, or as a water solution, into the flue gas stream while the flue gas stream is at a temperature greater than 100°C to thereby react the chlorine with the pollutants and permitting the flue gas stream/chlorine mixture to react for a sufficient time to enable a significant amount of oxidation of the pollutants to occur, whereby an oxidized flue gas stream comprising flue gases, water vapour and one or more gaseous oxidized said pollutants is formed;

(b) scrubbing the oxidized flue gas stream with water, or water solution, of pH less than or equal to 7; and

(c) adding sufficient alkali metal halogen salt to precipitate the mercury from the water or water solution of pH less than or equal to 7, as the concentration level requires.

2. A process as claimed in claim 1 wherein the alkali metal halogen salt is potassium iodide.

INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/CA 99/00403

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 B01D53/64 B01D53/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 208 036 A (TOKYO METROPOLITAN ENVIRONMENT) 14 January 1987 (1987-01-14) page 5, paragraph 2 page 6 - page 7 page 9 page 11 page 12, paragraph 2 page 13, paragraph 1; figures 1,4 ---	1
A	WO 98 16301 A (THOMASSEN THOMAS) 23 April 1998 (1998-04-23) page 1, line 5 - line 12 page 1, line 28 - line 35 page 3, line 29 - page 4, line 5 page 9, line 18 - page 10, line 2; claims 1-5; figure 1 --- -/--	1

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

6 August 1999

Date of mailing of the international search report

13/08/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Cubas Alcaraz, J

INTERNATIONAL SEARCH REPORT

Int. tional Application No

PCT/CA 99/00403

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 619 608 A (MCINTYRE BRIAN W ET AL) 28 October 1986 (1986-10-28) cited in the application the whole document -----	1,2
A	DE 44 22 661 A (PATRA PATENT TREUHAND) 4 January 1996 (1996-01-04) column 1, line 55 - column 2, line 15; claims 1-21 -----	2

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 99/00403

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0208036 A	14-01-1987	JP 1440770 C	30-05-1988
		JP 61222525 A	03-10-1986
		JP 62047572 B	08-10-1987
		AT 47532 T	15-11-1989
		CA 1233965 A	15-03-1988
		US 4729882 A	08-03-1988
WO 9816301 A	23-04-1998	NO 970306 A	16-04-1998
US 4619608 A	28-10-1986	AT 89763 T	15-06-1993
		CA 1259165 A	12-09-1989
		DE 3688496 A	01-07-1993
		DE 3688496 T	16-12-1993
		EP 0220075 A	29-04-1987
DE 4422661 A	04-01-1996	CA 2150529 A	29-12-1995